8800124

THE UNITED SHATES OF ANTERIOA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Nickerson American Plant Breeders, Inc.

Withereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT PLETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

SOYBEAN

'AP 2021'

In Esstimony Winexcot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 31st day of January in the year of our Lord one thousand nine

hundred and eighty-nine.

Secontary of Amiculture

Attost

Connell H. Evans Commissioner

Plant Variety Protection Office Agricultural Marketing Service

U.S. DEPARTMENT AGRICULTURAL M				M APPROVED: OMB NO. 0581-0055 cation is required in order to determine
APPLICATION FOR PLANT VARI			if a p be iss held	tant variety protection certificate is to used (7 U.S.C. 2421). Information is confidential until certificate is issued S.C. 2426).
1. NAME OF APPLICANT(S)		2. TEMPORARY DESIGNATION	3. V	ARIETY NAME
Nickerson American Plant Bree	ders		l A	AP 2021
4. ADDRESS (Street and No. or R.F.D. No., City, Sta 5201 Johnson Drive	te, and Zip Code)		PVPC	FOR OFFICIAL USE ONLY
P.O. Box 2955		(913) 384-4940		8800124
Mission, KS 66205	γ		—	
Glycine max	7. FAMILY NA		FILING	april 13,1988
				1:30 A.M. UP.M.
8. KIND NAME	9.	DATE OF DETERMINATION		AMOUNT FOR FILING
Soybean		January 1984	RECEIVED	\$ 1800 00 DATE Was a 17 1988
10. IF THE APPLICANT NAMED IS NOT A "PERSO partnership, association, etc.)	N," GIVE FORM	OF ORGANIZATION (Corporation	FEES RE(AMOUNT FOR CERTIFICATE
Corporation	·			Nov. 71988
11. IF INCORPORATED, GIVE STATE OF INCORPORT	ORATION		1	pare of incomponation
13. NAME AND ADDRESS OF APPLICANT REPRES	SENTATIVE(S), I	IF ANY, TO SERVE IN THIS APPLI		
Wayne Ellingson, Director of O	Oilseeds R	esearch		
AgriPro Seeds				
R.R. #2, Hwy 30 East		DUGALE (testado o		t
Ames, IA 50010		PHONE (Include ar	ea coue	⁷ (515) 232–0691
14. CHECK APPROPRIATE BOX FOR EACH ATTAC a. Exhibit A, Origin and Breeding History of			atection	n Act 1
b. Exhibit B, Novelty Statement.	the variety (bee	decison 32 of me hans variety 11.	0100110	
c. Exhibit C, Objective Description of Varies	ty (Request form	from Plant Variety Protection Offi	ice.)	
d. D Exhibit D, Additional Description of Vari			·	,
e. X Exhibit E, Statement of the Basis of Appl				
15. DOES THE APPLICANT(S) SPECIFY THAT SEE SEED? (See Section 83(a) of the Plant Variety Pro	otection Act.)	Yes (If "Yes," answer	items 1	6 and 17 below) X No
16. DOES THE APPLICANT(S) SPECIFY THAT THIS LIMITED AS TO NUMBER OF GENERATIONS?	S VARIETY BE	17. IF "YES" TO ITEM 16, " BEYOND BREEDER SE	WHICH ED?	CLASSES OF PRODUCTION
Yes No		Foundation		egistered Certified
18. DID THE APPLICANT(S) PREVIOUSLY FILE	FOR PROTECT	ION OF THE VARIETY IN THE L	J.S.?	Yes (If "Yes," give date)
				X No
A small quantity, less than during the spring of 1987.		was sold in the U.S.		R COUNTRIES ? Yes (If "Yes," give names of countries and dates)
during the spring of 1907.	مراره ما المام	1, 1201. KLZ 7/26/0	0	☐ No
20. The applicant(s) declare(s) that a viable samp plenished upon request in accordance with st			d with	the application and will be re-
The undersigned applicant(s) is (are) the owr distinct, uniform, and stable as required in So Variety Protection Act.	ner(s) of this sex ection 41, and i	cually reproduced novel plant va s entitled to protection under th	riety, a e prov	and believe(s) that the variety is is isions of Section 42 of the Plant
Applicant(s) is (are) informed that false repre	esentation herei	n can jeopardize protection and	result	in penalties.
SIGNATURE OF APPLICANT			D	ate 3/4/88
SIGNATURE OF APPLICANT	-			ATE

"EXHIBIT A" ORIGIN AND HISTORY OF 'AP 2021'

- 1. AP 2021 originated in Indiana during the summer of 1979. It was derived from the hand pollinated cross of 'RS 2300' and '78067.' 78067 was an F1 originating from 'A4' and 'AgriPro 26.' The F1, F2, and F3 generations were grown in Brazil during the fall of 1979, winter 1979-80, and summer 1980, respectively. The F4 generation was grown in Puerto Rico during the winter 1980-81. Early generations were advanced using a modified single seed decent technique. Single plants of the cross were selected in the F4 generation and the seed was planted as a progeny row in Indiana the summer of 1981.
- 2. In 1983, single plants of the variety were reselected and grown in progeny rows in 1984. Only rows conforming to a standard were harvested and bulked. The genetic make-up of the variety was stabilized in the sixth generation (1983). The variety has remained stable since the reselection. The purpose of the reselection was for beginning multiplication for seed stock production. The variety was not changed, but only the mixtures removed which occurred during yield testing.
- 3. AP 2021 has been yield tested since 1982. See attached for 1983-1987 data. AP 2021 has been tested under the experimental designations 79109-B81-26174 and EX 2021 or as AP 2021.
- 4. Discernible variants are not an inherent component of the variety.

"EXHIBIT B"

Novelty is based on the unique combination of the following characters:

AP 2021 is most similar to the variety 'RS 2300.' However, AP 2021 differs from RS 2300 in hypocotyl elongation score and peroxidase activity.

- 1. AP 2021 has an emergence score of "4" where RS 2300 has a score of "2." Emergence scores are based primarily on hypocotyl elongation and are calculated using the attached technique.
- 2. AP 2021 has low peroxidase activity where RS 2300 has high.

EMERGENCE TEST (lowa State)

Purpose: to determine a percentage of emergence on experimental lines in relation to their germination

Materials: 1. styrofoam or plastic cups (5" x 3")

- 2. sand
- 3. water
- Procedure: 1. Count out 4 lots of 25 seeds each of each experimental line.
 - 2. Place 1" of moistened sand in the bottom of each cup.
 - 3. Equally space each lot of 25 seeds on the sand in each corresponding cup.
 - 4. Fill cups with sand so that the level is even with the top of the cup. \underline{DO} NOT PACK DOWN.
 - 5. Place in a controlled atmosphere (77°F) for 13 days.
 - 6a. After the waiting period, count the number of fully emerged plants such that the cotyledons have fully passed through the soil surface.
 - 6b. After counting fully emerged plants, dig down to the 1 inch level and count the number of germinated seeds, including those that were counted as emerged.
 - Compare those emerged plants in relation to those germinated in a ratio for all 4 replications.
 - 8. Calculate a % emergence based on the ratio for all 4 replications and score in the following manner:
 - 1 = 99%-80% emergence
 - 2 = 79%-60% emergence
 - 3 = 59%-40% emergence
 - 4 = 39%-20% emergence
 - 5 = 19%- 0% emergence

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

30 I BEA	AN (Grycine max L.)		
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION VA	ARIETY NAME	··· ·
Nickerson American Plant Breeders		AP 2021	· .
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Cod 5201 Johnson Drive		FOR OFFICIAL USE O	NLY
P.O. Box 2955			
Mission, KS 66205		8800124	
Choose the appropriate response which characterizes the var in your answer is fewer than the number of boxes provided,	iety in the features described bel place a zero in the first box whe	ow. When the number of sign number is 9 or less (e.g.,	nificant digits
1. SEED SHAPE: 2	T 2 = Spherical Flattened (L/4 = Elongate Flattened (L/4)	W ratio > 1.2; L/T ratio = < 1.2 Fratio > 1.2; T/W > 1.2)	:)
2. SEED COAT COLOR: (Mature Seed)			•
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (Sp	ecify)	
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)			-
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	oy'; 'Gasoy 17')		
4. SEED SIZE: (Mature Seed)			
1 7 Grams per 100 seeds	·		
5. HILUM COLOR: (Mature Seed)			
6 1 = Buff 2 = Yellow 3 = Brown	1 = Gray 5 = Imperfect Black	6 = Black 7 = Other	r (Specify)
6. COTYLEDON COLOR: (Mature Seed)			
1 = Yellow 2 = Green			
7. SEED PROTEIN PEROXIDASE ACTIVITY:	<u> </u>		
1 = Low 2 = High			
8. SEED PROTEIN ELECTROPHORETIC BAND:			·
2 = Type B (SP1 ^b)			
9. HYPOCOTYL COLOR:			
1 = Green only ('Evans'; 'Davis') 2 = Green with 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; '		odworth'; 'Tracy')	
O. LEAFLET SHAPE:	-1	·	
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)		

11. LEA	FLET SIZE:		Charles and the second second second second
2	1 = Small ('Arnsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Corsoy 79'; 'Gasoy 17')	· .
12. LEAI	COLOR:		
2	1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Medium Green ('Corsoy 79'; 'Braxton')	
13. FLOV	VER COLOR:		
1	1 = White 2 = Purple	3 = White with purple throat	
14. POD	COLOR:		
2	1 = Tan 2 ≈ Brown	3 = Black	
15. PLAN	T PUBESCENCE COLOR:		-
2	1 = Gray 2 = Brown (Tawny)		
16. PLAN	T TYPES:		
2	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('Amcor'; 'Braxton')	
17. PLAN	Т НАВІТ:		
3	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Pel	2 = Semi-Determinate ('Will')	
			•
18. MATU	RITY GROUP:		
18. MATU	1 = 000	4 = I 5 = II 6 = III 7 = I I 12 = IX 13 = X	V 8 = V
5	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII	I 12 = IX 13 = X	v 8 = v
19. DISEA	1 = 000	I 12 = IX 13 = X	v 8 = v
19. DISEA	1 = 000	I 12 = IX 13 = X Susceptible; 2 = Resistant)	V 8 = V
19. DISEA BAC 0	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII SE REACTION: (Enter 0 = Not Tested; 1 = \$ TERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli va	I 12 = IX 13 = X Susceptible; 2 = Resistant)	V 8 = V
19. DISEA	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII SE REACTION: (Enter 0 = Not Tested; 1 = S TERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli va Bacterial Blight (Pseudomonas glycinea)	I 12 = IX 13 = X Susceptible; 2 = Resistant)	v 8 = v
19. DISEA BAC 0	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII SE REACTION: (Enter 0 = Not Tested; 1 = \$ TERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli va	I 12 = IX 13 = X Susceptible; 2 = Resistant)	V 8 = V
19. DISEA BAC 0 0	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII SE REACTION: (Enter 0 = Not Tested; 1 = S TERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli va Bacterial Blight (Pseudomonas glycinea)	I 12 = IX 13 = X Susceptible; 2 = Resistant)	V 8 = V
19. DISEA BAC 0 0	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII SE REACTION: (Enter 0 = Not Tested; 1 = 5 TERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli va Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci)	I 12 = IX 13 = X Susceptible; 2 = Resistant)	V 8 = V
19. DISEA BAC 0 0 FUNG	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII SE REACTION: (Enter 0 = Not Tested; 1 = 5 TERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli va Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES:	I 12 = IX 13 = X Susceptible; 2 = Resistant)	v 8 = v
19. DISEA BAC 0 0 FUNG	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII SE REACTION: (Enter 0 = Not Tested; 1 = S TERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli va Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina)	I 12 = IX 13 = X Susceptible; 2 = Resistant)	V 8 = V Other (Specify)
19. DISEA BAC 0 0 FUNG	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII SE REACTION: (Enter 0 = Not Tested; 1 = S TERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli va Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina)	Susceptible; 2 = Resistant) ar. sojensis)	
19. DISEA BAC 0 0 FUNG 0	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII SE REACTION: (Enter 0 = Not Tested; 1 = S TERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli va Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) Race 1 0 Race 2 0 Ra	Susceptible; 2 = Resistant) ar. sojensis) ace 3	
19. DISEA BAC 0 0 FUNG 0	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII SE REACTION: (Enter 0 = Not Tested; 1 = S TERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli va Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) Race 1 0 Race 2 0 Ra Target Spot (Corynespora cassiicola)	Susceptible; 2 = Resistant) ar. sojensis) ace 3	
19. DISEA BAC 0 0 FUNG 0 0 0	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII SEE REACTION: (Enter 0 = Not Tested; 1 = \$ TERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli va Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) Race 1 0 Race 2 0 Ra Target Spot (Corynespora cassiicola) Downy Mildew (Peronospora trifoliorum vai	Susceptible; 2 = Resistant) ar. sojensis) ace 3	

19. DISEASE REACTION	ON: (Enter 0 = Not Tested; 1 = Susceptible; 2	= Resistant) (Continued)		
FUNGAL DISEA	SES: (Continued)			
0 Pod and St	em Blight <i>(Diaporthe phaseolorum</i> var; <i>sojae)</i>			
0 Purple See	d Stain (Cercospora kikuchii)			
0 Rhizoctoni	a Root Rot (Rhizoctonia solani)			
Phytophthe	ora Rot <i>(Phytophthora megasperma</i> var. <i>sojae)</i>			
2 Race 1	2 Race 2 1 Race 3 1	Race 4	Race 6	1 Race 7
1 Race 8	1 Race 9 Other (Specify)			
VIRAL DISEASE	S:)	
0 Bud Blight	(Tobacco Ringspot Virus)			
0 Yellow Mos	aic (Bean Yellow Mosaic Virus)			
0 Cowpea Mo	saic (Cowpea Chlorotic Virus)			
0 Pod Mottle	(Bean Pod Mottle Virus)			
	(Soybean Mosaic Virus)			
NEMATODE DISE				
	st Nematode (Heterodera glycines)			•
0 Race 1	0 Race 2 1 Race 3 0	Race 4 Other	· · · · · · · · · · · · · · · · · · ·	
	tode (Hoplolaimus Colombus)	Hace 4 Other ((Specify)	
<u></u>	•			** *
	ot Knot Nematode (Meloidogyne incognita)			
	ot Knot Nematode (Meloidogyne Hapla)			•
	Knot Nematode (Meloidogyne arenaria)			
0 Reniform Ne	matode (Rotylenchulus reniformis)			
OTHER DIS	EASE NOT ON FORM (Specify):			,
PHYSIOLOGICAL RE	SPONSES: (Enter 0 = Not Tested; 1 = Suscep	Affair One Danie		
		tible; 2 = Hesistant)		
	s on Calcareous Soil			
	y)			·
· [n]	(Enter 0 = Not Tested; 1 = Susceptible; 2 = Re	esistant)		
Mexican Bean	Beetle (Epilachna varivestis)		1	
O Potato Leaf H	opper (Empoasca fabae)	•		•
Other (Specify	//			·
INDICATE WHICH VA	RIETY MOST CLOSELY RESEMBLES THA	T SUBMITTED.		
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF \	/ARIETY
Plant Shape	RS 2300	Seed Coat Luster∘	Century	
Leaf Shape	AgriPro 26	Seed Size	RS 2300	
Leaf Color	RS 2300	Seed Shape	RS 2300	
Leaf Size	AgriPro 26	Seedling Pigmentation	RS 2300	·
A			•	•

FORM LMGS-470-57 (2-82)


,Page 3 of 4

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF PLANT LODGING MATURITY SCORE	CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/	
		SCORE		CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted	119	1.8	109	ND	ND	38.6	22.4	17	ND
Weber Name of Similar Variety	117	2.1	112	ND	ND	38.6	22.8	16	ND

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.



"EXHIBIT E"

Nickerson American Plant Breeders, through various changes in corporate structure and purchases, are sole owners of the assets of the previous companies North American Plant Breeders and AgriPro, Inc. The ownership comprises all the soybean genetic material, including the variety AP 2021.

Signature

Wayne R. Ellingson

Director of Soybean Research